

## Research Articles

- Alon G, Kantor G, and Ho H.S. (1994). Effects of electrode size on basic excitatory responses and on selected stimulus parameters. *J. Orthop. Sports Phys. Ther.* 20, 29-35.
- Alon G, Kantor G, Smith GV. (1999). Peripheral nerve excitation and plantar flexion force elicited by electrical stimulation in males and females. *J Orthop Sports Phys Ther.* 1999 Apr;29(4):208-14; discussion 215-7.
- Baker LL, Bowman BR and McNeal DR (1988). Effects of waveform on comfort during neuromuscular electrical stimulation. *Clin. Orthop.* 233:75-85.
- Bélanger M, Stein RB, Wheeler GD, Gordon T, Leduc B. (2000). Electrical Stimulation: Can it increase muscle strength and reverse osteopenia in spinal cord injured individuals? *Arch Phys Med Rehabil* 81:1090-1098.
- Bennie SD, Petrofsky JS, Nisperos J, Tsurudome M, Laymon M. (2002). Toward the optimal waveform for electrical stimulation of human muscle. *Eur J Appl Physiol.* Nov;88(1-2):13-9. Epub 2002 Sep 10.
- Billian C, Gorman PH. (1992). Upper extremity applications of functional neuromuscular stimulation. *Assist. Technol.* 4:31-39.
- Binder-Macleod SA, Snyder-Mackler L. (1993). Muscle fatigue: Clinical implications for fatigue assessment and neuromuscular electrical stimulation. *Phys Ther.* 73:902-910.
- Binder-Macleod SA, Halden EE, Jungles KA. (1995). Effects of stimulation intensity on the physiological responses of human motor units. *Med Sci Sports Exerc* 27:556-565.
- Bowman BR and Baker LL. (1985). Effects of waveform parameters on comfort during transcutaneous neuromuscular electrical stimulation. *Ann. Biomed. Eng* 13, 59-74.
- Bremner LA, Sloan KE, Day RE, Scull ER, Ackland T. (1992). A clinical exercise system for paraplegics using functional electrical stimulation. *Paraplegia* 30:647-655.
- Carmick J. (1993). Clinical use of neuromuscular electrical stimulation for children with cerebral palsy, Part 2: Upper extremity. *Phys. Ther.* 73:514-522.
- Chae J, Yu D. (2000). A critical review of neuromuscular electrical stimulation for treatment of motor dysfunction in hemiplegia. *Assist. Technol.* 12:33-49.

- Danalov A, Sandrine G, Antonaci F, Capararo M, Alfonsi E, Nappi G. (1994). Bilateral sympathetic skin response following nociceptive stimulation: a study in healthy individuals. *Funct Neurol* 9:141-151.
- Delitto A, Mckowen JM, McCarthy JA, Shively RA, Rose SJ. (1998). Electrically elicited co-contraction of thigh musculature after anterior cruciate ligament surgery. A description and single-case experiment. *Phys. Ther* 68:45-50.
- Delitto A, Rose SJ. (1986). Comparative comfort of three waveforms used in electrically eliciting quadriceps femoris muscle contractions. *Phys Ther. Nov*;66(11):1704-7.
- Delitto A, Snyder-Mackler L. (1990). Two theories of muscle strength augmentation using percutaneous electrical stimulation. *Phys. Ther.* 70:158-164.
- Eriksson E and Haggmark T. (1979). Comparison of isometric muscle training and electrical stimulation supplementing isometric muscle training in the recovery after major knee ligament surgery. *Am. J. Sports Med.* 7:169.
- Eriksson E, Haggmark T, Kiessling KH, Karlsson J. (1981). Effect of electrical stimulation on human skeletal muscle. *Int. J. Sports Med* :18-22.
- European Journal of Translational Myology - BAM On-Line  
EJTM is indexed in PUBMED, ESCI and SCOPUS - CiteScoreTracker September 2019 = 0.91  
PUBMED REFERENCES: 218 - From March 27, 2014 - to September 12, 2019 [READ MORE](#)
- Glanz H, Klawansky S, Stason W, Berkey C, Chalmers T.C. (1996). Functional electrostimulation in poststroke rehabilitation: a meta-analysis of the randomized controlled trials. *Arch. Phys. Med. Rehabil* 77:549-553.
- Hainaut K and Duchateau J. (1992). Neuromuscular electrical stimulation and voluntary exercise. *Sports Med.* 14:100-113.
- Kantor G, Alon G, Ho HS. (1994). The effects of selected stimulus waveforms on pulse and phase characteristics at sensory and motor thresholds. *Phys Ther.* 74:951-962.
- Kloth LC (1995). Electrical stimulation in tissue repair. In: McCulloch JM, Kloth LC and Feeder FA (eds): *Wound Healing Alternatives in Management*. Philadelphia, F.A. Davis, pp. 275-314.
- Laufer Y, Ries JD, Leininger PM, Alon G. (2001). Quadriceps femoris muscle torques and fatigue generated by neuromuscular electrical stimulation with three different waveforms. *Phys Ther.* Jul;81(7):1307-16.
- Levine D. *Physical Modalities in Rehabilitation*. (2000). Proceedings of the 35th Annual Scientific Meeting of the American College of Veterinary Surgeons, September 21-24, 2000; 502-505.

- Levine D. Neuromuscular Electrical Stimulation. (2000). Proceedings of the 35th Annual Scientific Meeting of the American College of Veterinary Surgeons, September 21-24, 2000; 516-519.
- Levine D. Outcomes Assessment in Rehabilitation. (2000). Proceedings of the 35th Annual Scientific Meeting of the American College of Veterinary Surgeons, September 21-24, 2000; 524-527.
- Lindehammar H and Backman E. (1995). Muscle function in juvenile chronic arthritis. *J. Rheumatol.* 22:1159-1165.
- Loeser JD, Black RG, Christman A. (1975). Relief of pain by transcutaneous stimulation. *J Neurosurg* 42:308-314.
- Lyons CH, Robb JB, Irrgang J, Fitzgerald GK (2005). Differences in Quadriceps Femoris Muscled Torque When Using a Clinical Electrical Stimulator Versus a Portable Electrical Stimulator. *Phys Ther* 85:1:44-51.
- McMiken DF, Todd-Smith M, Thompson C. (1983). Strengthening of human quadriceps muscles by cutaneous electrical stimulation. *Scand J Rehabil Med* 15:25-28.
- McNeal DR, Baker LL, McCaffrey S., and Lopez, N. (1986). Subject preference for pulse frequency with cutaneous stimulation of the quadriceps. *Rehab Eng Soc of Nor Amer* 9:273-
- Mendel FC and Fish DR. (1993). New perspectives in edema control via electrical stimulation. *J. Athl. Train* 28:63-74.
- Moore SR, Shurman J. (1997). Combined neuromuscular electrical stimulation and transcutaneous electrical stimulation for treatment of chronic back pain: a double-blind, repeated measures comparison. *Arch Phys Med Rehabil* 78:55-60.
- Nelson HE, Jr., Smith MB, Bowman BR, and Waters R.L. (1980). Electrode effectiveness during transcutaneous motor stimulation. *Arch Phys, Med, Rehabil.* 61, 73-77.
- Repperger DW, Ho CC, Aukuthota P, Phillips CA, Johnson DC, Collins SR. (1997). Microprocessor based spatial TENS (Transcutaneous electric nerve stimulator) designed with waveform optimality for clinical evaluation in a pain study. *Comput Biol Med* 27:493-505.
- Rhees, David J., Electricity - "The greatest of all doctors': An introduction to 'high frequency oscillators for electro-therapeutic and other purposes". Proceedings of the IEEE. Vol. 87, no. 7, pp. 1277-1281. 1999 ISSN 0018-9219

- Scheker LR, Chesher SP, Ramirez S. (1999). Neuromuscular electrical stimulation and dynamic bracing as a treatment for upper-extremity spasticity in children with cerebral palsy. *J Hand Surg [Br]* 24:226-232.
- Scremin AM, Kurta L, Gentili A, Wiseman B, Perell K, Kunkel C, Scremin OU. (1999). Increasing muscle mass in spinal cord injured persons with a functional electrical stimulation exercise program. *Arch Phys Med Rehabil* 80:1531-1536.
- Synder-Mackler L, Delitto A, Bailey SL, Stralka SW. (1995). Strength of the quadriceps femoris muscle and functional recovery after reconstruction of the anterior cruciate ligament. *J. Bone Joint Surg.* 77:1166-1173.
- Synder-Mackler L, Delitto A, Stralka SW and Bailey SL. (1994). Use of electrical stimulation to enhance recovery of quadriceps femoris muscle force production in patients following anterior cruciate ligament reconstruction. *Phys. Ther.* 74:901-907.
- Synder-Mackler L, DeLuca PF, Williams PR, et al. (1994). Reflex inhibition of the quadriceps femoris muscle after injury or reconstruction of the anterior cruciate ligament. *J. Bone Joint Surg.* 76:555-560.
- Svantesson U, Carlsson U, Takahashi H, Thomee R, Grimby G. (1998). Comparison of muscle and tendon stiffness, jumping ability, muscle strength and fatigue in the plantar flexors. *Scand. J. Med. Sci. Sports* 8:252-256.
- Svantesson U, Takahashi H, Carlsson U, Danielsson A, Sunnerhagen KS. (2000). Muscle and tendon stiffness in patients with upper motor neuron lesion following a stroke. *Eur. J. Appl. Physiol* 82:275-279.
- Thorstensson A, Karlsson J. (1976). Fatiguability and fibre composition of human skeletal muscle. *Acta Physiol Scand* 98:318-322.
- Valli P, Boldrini L, Bianchedi D, Brizzi G, Miserocchi G. (2002). Effect of low intensity electrical stimulation on quadriceps muscle voluntary maximal strength. *J Sports Med Phys Fitness.* Dec;42(4):425-30.
- Ward AR, Robertson VJ (1998). Variation in torque production with frequency using medium frequency alternating current. *Arch Phys Med Rehabil* 79(11):1399-1404.
- Wong RA. (1986). High voltage versus low voltage electrical stimulation. Force of induced muscle contraction and perceived discomfort in healthy subjects. *Phys. Ther.* 66:1209.